CITY OF RIVERSIDE

SEWER IMPROVEMENT PLAN

CENTER STREET -SEE SHEET 5 SPRING STREET SPRING STREE

PALMYRITA AVENUE

VICINITY MAP

NOT TO SCALE

CITRUS AVENUE

GENERAL NOTES:

- 1. NO PERSON SHALL PERFORM ANY CONSTRUCTION ACTIVITY OR INSTALL ANY OBJECTS WITIHN THE PUBLIC RIGHTS-OF-WAY OR EASEMENTS OF THE CITY OF RIVERSIDE WITHOUT A VALID CONSTRUCTION OR, A STREET OPENING PERMIT, OR AN ENCROACHMENT PERMIT ISSUED BY THE CITY'S PUBLIC WORKS DEPARTMENT. 2. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO CLEAR THE RIGHT OF WAY IN ACCORDANCE
- WITH THE PROVISIONS OF THE LAW AS IT AFFECTS EACH UTILITY INCLUDING IRRIGATION LINES AND APPURTENANCES 3. CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE CITY OF RIVERSIDE DEPARTMENT OF PUBLIC WORKS,
- STANDARD DRAWINGS, ITS SUPPLEMENTAL NOTES AND THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS 4. THE PRIVATE ENGINEER SIGNING THESE PLANS IS RESPONSIBLE FOR ASSURING THE ACCURACY AND THE
- ACCEPTABILITY OF THE WORK HEREON. IN THE EVENT OF DISCREPANCIES ARISING DURING CONSTRUCTION, THE PRIVATE ENGINEER SHALL BE RESPONSIBLE FOR DETERMINING THE ACCEPTABLE SOLUTION AND REVISING THE PLANS FOR APPROVAL BY THE CITY. 5. QUANTITIES SHOWN ARE FOR INFORMATION ONLY AND THE CITY OF RIVERSIDE IS NOT RESPONSIBLE FOR
- 6. THE DEVELOPER SHALL BE RESPONSIBLE FOR PRESERVING OR RE-ESTABLISHING AND REFERENCING SURVEY MONUMENTS DESTROYED, DISTURBED OR BURIED AS A RESULT OF CONSTRUCTION SHOWN HEREON.
- ALL FLAGGED ELEVATIONS SHALL BE STAKED IN THE FIELD BY THE PRIVATE ENGINEER. ANY TRAFFIC CONTROL STRIPING OBLITERATED AND/OR BADLY WORN DURING CONSTRUCTION SHALL BE RESTORED BY THE CONTRACTOR WITHIN FIVE DAY'S AFTER NOTIFICATION FROM THE CITY INSPECTOR.
- 9. THE CONTRACTOR SHALL CALL IN A LOCATION REQUEST TO UNDERGROUND SERVICE ALERT (USA), PHONE NO. 1-800-227-2600, TWO WORKING DAYS BEFORE DIGGING . NO CONSTRUCTION PERMIT WILL BE ISSUED BY THE PUBLIC WORKS DEPARTMENT INVOLVING EXCAVATION FOR UNDERGROUND FACILITIES UNLESS THE APPLICANT HAS BEEN PROVIDED THE INQUIRY IDENTIFICATION NUMBER BY THE USA. 10. CONTRACTOR IS TO VERIFY EXISTING SEWER ELEVATION PRIOR TO CONSTRUCTION.
- 11. NO FINISHED FLOOR ELEVATION SHALL BE LESS THAN 6" ABOVE THE UPPER MANHOLE RIM ELEVATION OF THE SEWER LINE SEGMENT BEING CONNECTED TO, WITHOUT HAVING A PROPER BACKWATER VALVE
- 12. A PLUG SHALL BE INSTALLED AND AND SHALL REMAIN IN PLACE WHERE THE NEW SEWER CONNECTS WITH THE EXISTING SEWER UNTIL THE NEW SEWER IS ACCEPTED BY THE CITY. 13. THE SEWER CONTRACTOR SHALL ADJUST MANHOLES TO FINAL GRADE AFTER PAVING IS COMPLETED. 14. LOCATION OF LATERALS TO BE DETERMINED IN THE FIELD AT THE DISCRETION OF THE OWNER . AVOID

ENGINEERS NOTES TO CONTRACTOR:

CONFLICT WITH PROPOSED OR EXISTING FACILITIES.

- 1. THE EXISTENCE AND LOCATION OF ANY UNDERGROUND UTILITY PIPES OR STRUCTURES SHOWN ON THIS PLAN ARE OBTAINED BY A SEARCH OF AVAILABLE RECORDS, TO THE BEST OF OUR KNOWLEDGE, THERE ARE NO EXISTING UTILITIES EXCEPT AS SHOWN ON THESE PLANS. THE CONTRACTOR IS REQUIRED TO TAKE DUE PRECAUTIONARY MEASURES TO PROTECT THE UTILITIES SHOWN AND ANY OTHER LINES OR STRUCTURES NOT SHOWN ON THESE PLANS.
- 2. ALL CONTRACTORS AND SUBCONTRACTORS PERFORMING WORK SHOWN ON OR RELATED TO THESE SHALL CONDUCT THEIR OPERATIONS SO THAT ALL EMPLOYEES ARE PROVIDED A SAFE PLACE TO WORK AND THE PUBLIC IS PROTECTED. ALL CONTRACTORS AND SUBCONTRACTORS SHALL COMPLY WITH THE "OCCUPATIONAL SAFETY AND HEALTH REGULATIONS" OF THE U.S. DEPARTMENT OF LABOR, AND THE STATE OF CALIFORNIA DEPARTMENT OF INDUSTRIAL RELATIONS "CONSTRUCITON SAFETY
- THE CIVIL ENGINEER SHALL NOT BE RESPONSIBLE IN ANY WAY FOR THE CONTRACTORS' AND SUBCONTRACTORS' COMPLIANCE WITH THE "OCCUPATIONAL SAFETY AND HEALTH REGULATIONS" OF THE U.S. DEPARTMENT OF LABOR OR WITH THE STATE OF CALIFORNIA DEPARTMENT OF INDUSTRIAL RELATIONS, "CONSTRUCTION SAFETY ORDERS"
- 4. THE CONTRACTOR FURTHER AGREES THAT HE SHALL ASSUME SOLE AND COMPLETE RESPONSIBILTY FOR JOB SITE CONDITIONS DURING THE COURSE OF CONSTRUCTION OF THIS PROJECT, INCLUDING THE SAFETY OF ALL PERSONS AND PROPERTY; THAT THIS REQUIREMENT SHALL APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS; AND THAT CONTRACTORS SHALL DEFEND. INDEMNIFY AND HOLD THE OWNER AND THE ENGINEER HARMLESS FROM ANY AND ALL LIABILTY, REAL OR ALLEGED, IN CONNECTION WITH THE PERFORMANCE OF WORK ON THIS PROJECT, EXCEPTING FOR LIABILITY ARISING FROM THE SOLE NEGLIGENCE OF THE OWNER OR THE ENGINEER.

UNAUTHORIZED CHANGES AND USES:

THE ENGINEER PREPARING THESE PLANS WILL NOT BE RESPONSIBLE FOR, OR LIABLE FOR, UNAUTHORIZED CHANGES TO OR USES OF THESE PLANS. ALL CHANGES TO THE PLANS MUST BE IN WRITING AND MUST BE APPROVED BY THE PREPARER OF THESE PLANS.

CHISLED SQUARE AT THE SOUTH TOP


SIDE OF CENTER STREET EAST OF

TRANSIT AVENUE

ELEV: 952.776

OF A CATCH BASIN ON THE NORTHERLY

DATUM: 1929 ADJUSTMENT YEAR: 1971



CITY TAX CERTIFICATE NO. 027049 EXP. 1-25-06 Southland Engineering PUBLIC UTILITIES ELECTRIC DIVISION APPROVED BY 2200 BUSINESS WAY, Ste. 100 Sumann RIVERSIDE, CA. 92501 REPARED UNDER THE SUPERVISION OF PUBLIC UTILITIES WATER DIVISION APPROVED BY

RINCIPAL ENGINEER ARK DEPARTMENT

CITY ENGINEER

CONSTRUCTION NOTES:

—CONSTRUCT 8"x4" WYE LATERAL

—INSTALL END CAP

---SAW CUT AND REMOVE EXISTING AC PAVEMENT

-CONSTRUCT AC PAVEMENT TO MATCH EXISTING SECTION

-CONSTRUCT CLEANOUT PER CITY OF RIVERSIDE STD. DWG. NO. 560

SEWER IMPROVEMENT PLAN PM 31869 TITLE SHEET

-CONSTRUCT PRECAST CONCRETE SEWER MANHOLE PER CITY OF RIVERSIDE STD. DWG. NO. 500

-CONSTRUCT 4" SEWER LATERAL WITH CLEANOUT PER CITY OF RIVERSIDE DWG. NO. 562A

-CONSTRUCT TRENCH BACKFILL PER CITY OF RIVERSIDE STD. DWG. NO. 453 -CONSTRUCT PIPE BEDDING, CASE II PER CITY OF RIVERSIDE DWG. NO. 452

> S-1919 SHEET 24165

PW05-0285

CCOUNT NO.

2,935 LF 12

2,935 LF

2,935 LF 6 EA

26,931 SF

1 EA

1 EA

7 EA

A PUBLIC SERVICE BY

BEFORE

YOU DIG

INDEXED 1-23-06 4H

MW Meled DATE 1/20/06 ALL SHEETS HORIZ. SCALE: 1" =100' TREET SERVICES

